



Dexion (Australia) Pty Limited. ABN 83 000 083 956. Head Office: 23 Tattersall Road, Kings Park NSW 2148. dexion.com.au
Dexion New Zealand. Incorp No. 1856839. Head Office: 423 East Tamaki Road, East Tamaki, Auckland 2013. dexion.co.nz

Whilst the utmost care is taken to ensure the accuracy of the information contained herein, it is provided in the understanding that the company shall under no circumstances be liable for any injuries, expenses or other losses which may in any way be attributable to the use or adoption of such data and/or design details. All dimensions indicated are nominal only. Dexion reserves the right to alter or amend without prior notice data and design details specified herein. Product specifications may vary between regions. Re-Order Code M060. F+S+A/DEX0121



High volume few skus.
DEXION

Double deep racking



*Big orders
dispatched fast.*

Double deep racking.

Your business:

You don't have too many different products, but you distribute them in high volumes. You might well manufacture them yourself. The same SKUs are stored in groups of pallets prior to dispatch.

Our solution:

Double deep racking stores products up to four pallets deep, allowing for rapid dispatch of large, single-SKU orders. The double-entry aisle allows unparalleled access via dual pantograph or sliding fork attachments.


The vital statistics:

Average locations used **88%**

Immediate accessibility **50%**

Stock rotation **Average**

Average floor area by pallet position (sqm) **0.60**





*Access like
no other.*

Take efficiency
to greater
heights.



Upper levels can
be fitted with guide
rails to assist
operators in
locating pallets.



The bottom beam is
clear of the ground
allowing the reach
trucks legs to pass
under it.



Height of the system and load weights are driven by forklifts and pallets.

Tested to the highest international standards.



Dexion
provides you
with more
component
choices.



Box beam. The market leader.



I-Beam. Don't pay for steel you don't need.



Open beam. For lighter loads.



Channel beam. Excellent load carrying capacity and resistance to damage.



Stepped beam. Designed for longspan shelf storage.




RHS beam. Excellent load carrying capacity and resistance to damage.



Spring-loaded automatic safety lock.



Galvanised standard baseplate.



Stiffened baseplate.



Heavy duty baseplate.



Narrow aisle baseplate.



90R upright.



90R galvanised upright.



90E upright.



100R upright.



100E upright.



Splice to connect uprights.