

STORE

it

STORAGE SOLUTIONS
ISSUE #4

**OFFICE
PRODUCTS**

 **DEXION[®]**

Smarter thinking.



**Welcome to the latest Store It catalogue,
from Dexion.**

**As you'll see, it's jam packed with all things Dexion.
For your warehouse, for your workshop, or for your
office.**

All in a practical, no-nonsense, here's-the-facts way.

**Why call it Store It? Well, for practically anything you
can think of, in here you'll find the best way to, well,
store it.**

**And how should you use it? Flick through it, for a
grand overview of our collection.**

**Order from it. And, keep it (store it, you
could say).**

**If, by chance, something you want is not in here,
please call us or visit our website.**

 **DEXION**[®]
Smarter thinking.

Our Locations

Dexion Head Office Locations

AUSTRALIA

Dexion Australia Pty Limited

Building E3
22 Powers Road
SEVEN HILLS NSW 2147

☎ 1800 100 050

🌐 dexion.com.au

CHINA

Dexion (Shanghai) Logistics Equipment Ltd.

Room 1102, Block A, Phase 1
Zhang Jiang Riverfront Harbour
Longdong Avenue, Pudong New Area
Shanghai 201203, P.R. China

☎ +86 6879 4412

🌐 dexion-china.com

HONG KONG

Dexion Asia Limited

6/F Mtl. Building, Phase 2
Berth 1, Container Port Road
Kwai Chung, N.T Hong Kong

☎ +85 2 2410 8383

MALAYSIA

Dexion Asia Sdn Bhd

MR2-01-01 Sri Acappella
Jalan Lompat Tinggi 13/33 Seksyen 13,
40100 Shah Alam, Selangor,
Darul Ehsan, Malaysia

☎ +603 5520 6000

🌐 dexion.biz

NEW ZEALAND

Dexion New Zealand Limited

423 East Tamaki Road
East Tamaki, Auckland 2013
New Zealand

☎ 0800 339 466

🌐 dexion.co.nz

SINGAPORE

Dexion Asia Pte Ltd

2 Loyang Way 1
Singapore 50870

☎ +65 6545 5454

🌐 dexion.biz

Our Locations

Asia - Regional HQ

Dexion Asia Sdn Bhd

MR2-01-01 Sri Acappella
Jalan Lompat Tinggi 13/33 Seksyen 13,
40100 Shah Alam, Selangor,
Darul Ehsan, Malaysia
☎ +603 5520 6000
🌐 dexion.biz

South East Asia

Brunei
Cambodia
Indonesia

Laos
Malaysia
Philippines

Singapore
Thailand
Vietnam

South Asia

India

Pakistan

Sri Lanka

North Asia

Japan

Korea

Taiwan

Our Supply Centres

Australia

ACT

Dexion Canberra

34 Yass Road
QUEANBEYAN ACT 2620

☎ 02 9239 1414

🌐 dexioncanberra.com.au

NSW

Dexion Alexandria

35A Heathcote Road
MOOREBANK NSW 2170

☎ 02 9319 3120

🌐 dexionalexandria.com.au

Dexion Liverpool

35A Heathcote Road
MOOREBANK NSW 2170

☎ 02 9600 8443

🌐 dexionliverpool.com.au

Dexion Nepean

Unit 3, 7 Millner Ave
HORLSEY PARK NSW 2175

☎ 02 9623 3399

🌐 dexionnepean.com.au

Dexion Newcastle

7 Templar Place
BENNETTS GREEN NSW 2290

☎ 02 4904 0200

🌐 dexionnewcastle.com.au

Dexion Seven Hills

1 Tyrone Place
ERSKINE PARK NSW 2759

☎ 02 9838 7770

🌐 dexionsevenhills.com.au

Dexion Silverwater

Unit 3, 7 Millner Ave
HORLSEY PARK NSW 2175

☎ 02 9737 0644

🌐 dexionsilverwater.com.au

Dexion System Services

150 Bungaree Road
PENDLE HILL NSW 2145

☎ 02 8259 0367

🌐 dexionssystemservices.com.au

QLD

Dexion Acacia Ridge

373 Bradman Street
ACACIA RIDGE QLD 4110

☎ 07 3711 7288

🌐 dexionacaciaridge.com.au

Dexion Cairns

240 Hartley Street
CAIRNS QLD 4870

☎ 07 4035 1444

🌐 dexionacaciaridge.com.au

Dexion Gold Coast

Unit 7 / 39 Nerang Street
NERANG QLD 4211

☎ 07 5556 0655

🌐 dexiongoldcoast.com.au

Dexion Hendra

Unit 6, 370 Nudgee Road
HENDRA QLD 4011

☎ 07 3332 0222

🌐 dexionhendra.com.au

Dexion Townsville

52 Keane Street
CURRAJONG QLD 4812

☎ 07 4779 9666

🌐 dexiontownsville.com.au

SA

Dexion Adelaide

Building 7, 938 South Road
EDWARDSTOWN SA 5039

☎ 08 8297 1255

🌐 dexionadelaide.com.au

TAS

Dexion Hobart

81 Sunderland Street
DERWENT PARK TAS 7009

☎ 03 6273 2022

🌐 dexionhobart.com.au

Dexion Launceston

6 Holbrook Street
INVERMAY TAS 7246

☎ 03 6331 3717

🌐 dexionlaunceston.com.au

Our Supply Centres

Australia (cont.)

VIC

Dexion Citiport

128 Walnut Street
CREMORNE VIC 3121

☎ 03 8795 5800

🌐 dexioncitiport.com.au

Dexion Dandenong

359 Frankston Dandenong Road
DANDENONG SOUTH VIC 3175

☎ 03 8795 5800

🌐 dexiondandenong.com.au

WA

Dexion Balcatta

28 Ledgar Road
BALCATTWA WA 6021

☎ 08 6241 2400

🌐 dexionbalcatta.com.au

Dexion Canning Vale

57 Catalano Circuit
CANNING VALE WA 6155

☎ 08 9455 7480

🌐 dexioncanningvale.com.au

New Zealand

Dexion Supply Centre

- Auckland

120 Carbine Road
Mount Wellington
Auckland 1060

☎ 09 259 8720

🌐 dexionscauckland.co.nz

Dexion Supply Centre

- Christchurch

24A Halwyn Drive
Hei Hei
Christchurch 8042

☎ 03 366 0571

Dexion Supply Centre

- Dunedin

330 King Edward Street
South Dunedin
Dunedin 9012

☎ 03 455 7177

🌐 dexionscdunedin.co.nz

Dexion Supply Centre

- Mt Maunganui

127 Newton Street
Mount Maunganui 3116

☎ 07 394 8686

Dexion Supply Centre -

North Shore

Unit 18, 43C Apollo Drive
Rosedale
Auckland 0632

☎ 09 930 8568

🌐 dscnorthhabour.co.nz

Dexion Supply Centre

- Waikato

22 Harwood Street
Hamilton Central
Hamilton 3204

☎ 07 839 5145

Dexion Supply Centre

- Wellington

2 Railway Avenue
Maidstone
Upper Hutt 5018

☎ 04 526 4218

🌐 dexionscwellington.co.nz

office

| | |
|--|---------|
| Shelving | |
| Ultima CI-80 Shelving | 62 – 63 |
| Compactus | |
| Side2Side 2 Compactus | 64 |
| Freetrack 2 Longspan Compactus | 65 |
| Freetrack 2 Compactus | 66 |
| Mekdrive 3 Compactus | 67 |
| Mekdrive 3 Longspan Compactus | 68 |
| Mech Assist Compactus | 69 |
| Eclipse Powered Compactus | 70 |
| MaxiDrive Compactus | 71 |
| Easyfit Wire Compactus | 72 |
| Strata 2 Cabinets & Planters | |
| Sliding Door Cabinet | 73 |
| Tambour Door Cabinet | 74 |
| Swing Door Cabinet | 75 |
| Planter | 76 |
| Bookcase | 77 |
| Library Shelving | 78 – 79 |
| Lockers | |
| Agile lockers | 80 |
| Precision Classic Lockers | 81 |
| Precision Classic Vertical Filing Cabinet | 81 |
| FirstLine Cabinets & Planters | |
| Lateral Filing Cabinet | 82 |
| Vertical Filing Cabinet | 82 |
| Swing Door Cabinet | 83 |
| Stationery Cabinet | 83 |
| Bookcase | 84 |
| Planter | 84 |
| Caddy | 85 |
| Mobile Pedestal | 85 |
| Dynamic Locking | 86 – 87 |

Ultima[®] CI-80 Shelving.

Your need:

A single-tier, office storage system for light to medium weight items. Your business is growing and evolving, so you need a solution that can change with you.

Our solution:

Employing a modular system, Ultima CI-80 expands in any direction. A common frame panel makes sideways extension simple while units are made mobile with Compactus bases and runners. A wide range of accessories such as suspended filing racks, dividers and drawers allow you to switch between front office and back of house applications.

Vital statistics:

| | |
|--|--|
| Shelving height | 1875, 2175, 2400mm |
| Shelving width | 750, 900, 1050, 1200mm |
| Shelving depth | 250, 300, 400, 450, 500, 600mm |
| Shelf carrying capacity | Up to 240kg* |
| Shelving bay capacity | Standard frames - Up to 1035kg* Reinforced frames - Up to 1700kg* |
| Shelf pitch | 25mm |
| Standard colour | Stone White |
| *Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration. | |



- 01** Slotted shelf dividers.
- 02** Shelf support.
- 03** Shelf dividers.
- 04** Wrap around file rack.
- 05** Pull out reference shelf.
- 06** Pull out file frame.
- 07** Media drawer.
- 08** Suspended filing rack.

STORAGE *Tip*

Convert suspension filing to lateral filing to increase lineal metres of storage by using available vertical space.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 240kg UDL by adding shelf supports.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 170kg UDL by adding shelf supports.



Ultima CI-80 with steel shelves and finishing panels. Shelf carrying capacity can be increased to 170kg UDL by adding shelf supports.



office products



Suspended filing racks for lateral shelf filing.



Suspended filing racks for lever arch binders.



Fully accessorised Ultima CI-80.



Ultima CI-80 archive solution.



Side2Side 2 Compactus[®]

Your need:

A storage system that can be used in an area that is not being well utilised.

Our solution:

Side2Side 2 is the ideal system for transforming under-utilised areas such as alcoves into efficient storage space. It's simple; we just place a row of mobile shelving in front of a row of static shelving. This eliminates the need for permanent aisles as items stored are accessed from the front.

Vital statistics:

| | |
|-------------------------------|---|
| Drive type | Manual |
| Shelving and accessory system | Ultima CI-80 |
| Maximum system width | Unlimited |
| Shelving width options | 750, 900, 1050, 1200mm |
| Static shelving depth options | 250, 300, 400, 450, 500, 600mm |
| Mobile shelving depth options | 400, 450, 500, 600mm |
| Shelving height options | 1875, 2175, 2400mm |
| Overall system height | 1940, 2240, 2465mm |
| Maximum bay carrying capacity | 500kg* |
| Anti-tilt system | Track and runner combination |
| Standard colour | Stone White (shelving) Anodised Aluminium (track and carriage) |

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

Slide aside solution.



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish and sleek track system with ramps provides safe access between shelving bays.



Unique pivoting ramps follow the contours of the floor and provide a seamless transition between the flooring and track.

STORAGE Tip

Increase your storage capacity by up to 66% by placing a row of mobile units in front of existing static shelving.

Freetrack[®] 2 Longspan Compactus[®]

Your need:

Compactus that can handle larger, bulkier or awkwardly shaped items.

Our solution:

Dexion's most versatile storage system, Ultima Longspan 2 mounted on the Freetrack 2 Compactus track and runner system. The track does not require floor fixings, this keeps floor loads to a minimum. It's the perfect solution for storage of archives, bulky items or back of house retail.

Vital statistics:

| | |
|-------------------------------|---|
| Drive type | Manual |
| Shelving and accessory system | Ultima Longspan 2 |
| Maximum system width | 2400mm |
| Shelving width options | 900, 1200, 1500, 1800, 2100, 2400mm |
| Shelving depth options | 400, 450, 500, 600, 760, 900, 1200mm |
| Shelving height options | 1800, 2000, 2200, 2500mm |
| Overall system height | 1865, 2065, 2265, 2565mm |
| Maximum bay carrying capacity | Up to 1500kg* |
| Anti-tilt system | Track and runner combination |
| Standard colour | Stone White (beams and shelves) Anthracite (uprights & bracing) Anodised Aluminium (track and carriage) |
| Shelf Options | Timber shelf infill Stepped beams with steel shelf infills Coat rails |

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Freetrack 2 Longspan Compactus is effortlessly moved using an attractive handle.



Stylish and sleek track system with ramps provides easy access between shelving bays.

office products

STORAGE Tip

Easily upgrade to a Mekdrive[®] 3 mechanically assisted drive type.

Freetrack[®] 2 Compactus[®]



Your need:

A storage system that is easy to operate and does not need to be fixed to the floor.


Our solution:

Freetrack 2 is the ideal light-weight Compactus system for just about any storage and filing application. The lighter weight of the system reduces the chance of operator strain and loads imposed on the floor. Just because Freetrack 2 is lighter than other systems, this doesn't mean it isn't built tough. Move block-loads up to 1000kg effortlessly with Freetrack 2 Compactus.

Vital statistics:

| | |
|-------------------------------|---|
| Drive type | Manual |
| Shelving and accessory system | Ultima CI-80 |
| Maximum system width | 1800mm (2 x 900mm bays) |
| Shelving width options | 750, 900, 1050, 1200mm |
| Shelving depth options | 250, 300, 400, 450, 500, 600mm |
| Shelving height options | 1875, 2175, 2400mm |
| Overall system height | 1940, 2240, 2465mm |
| Maximum bay carrying capacity | 500kg* |
| Anti-tilt system | Track and runner combination |
| Security | Unit lock and/or aisle lock |
| Standard colour | Stone White (shelving) Anodised Aluminium (track and carriage) |

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The unique runner mounted anti-tilt mechanism secures the shelving units to the tracks.



Stylish and sleek track system with ramps provides safe access to shelving bays.



Freetrack 2 is effortlessly moved using an attractive handle. All units have the option to be lockable for added security.

STORAGE *Tip*

Easily upgrade to a Mekdrive[®] 3 Compactus[®].

Mekdrive[®] 3 Compactus[®]

Your need:

A light weight, high-density mobile filing and storage system that allows you to easily move heavy loads via a handwheel.

Our solution:

Mekdrive[®] 3 revolutionises filing and storage systems with advanced technology and design. It is the lightest mechanically-assisted mobile storage system available; this keeps floor loads to a minimum, a major consideration in most high rise buildings. And best of all, its 'positive drive' technology and ergonomically designed hand-wheel move 6000kg or 10000kg block loads at up to four shelving bays wide, effortlessly, removing operator strain. Optional long ramps cater for extremely uneven floors.

Vital statistics:

| | |
|-------------------------------|---|
| Drive type | Mechanically assisted |
| Shelving and accessory system | Ultima CI-80 |
| Maximum system width | 4800mm * Subject to a maximum of 5 tracks in width (4 shelving bays) and maximum movable block load |
| Shelving width options | 750, 900, 1050, 1200mm |
| Shelving depth options | 250, 300, 400, 450, 500, 600mm |
| Shelving height options | 1875, 2175, 2400mm |
| Overall system height | 1940, 2240, 2465mm |
| Maximum bay carrying capacity | Up to 500kg based on Uniformly Distributed Load |
| Maximum movable block load | Options for 6,000kg and 10,000kg based on uniformly distributed loads |
| Security | Unit lock and/or aisle lock |
| Standard colour | Stone White (shelving), Anodized Aluminium (Track and carriage) |



The Mekdrive 3 hand-wheel can be retro-fitted to Mekdrive 1 and 2 systems with a simple modification.



The system includes patented pivoting ramps, unique to the Mekdrive 3 Compactus[®], which can accommodate varying floor contours and are available in two lengths to control the gradient angle.

office products

Mekdrive® 3 Longspan Compactus®

Your need:

A storage system for bulky or awkward items with a handwheel for easy movement of larger loads.

Our solution:

The Mekdrive® 3 Longspan Compactus® provides incredible value and cost efficiencies when compared with traditional mechanically operated fixed-track systems. The robust chain drive and ergonomically designed hand-wheel moves 6,000kg and even 10,000kg block loads effortlessly, eliminating operator strain and can accommodate varying floor contours.

Vital statistics:

| | |
|--------------------------------|---|
| Drive type | Mechanically assisted |
| Shelving and accessory system | Dexion Ultima Longspan 2 |
| Maximum system width | 2400mm |
| Shelving width (bay width) | 900, 1200, 1500, 1800, 2100, 2400mm |
| Shelving depth | 400, 450, 500, 600, 760, 900, 1200mm |
| Shelving height | 1200, 2000, 2200, 2500mm |
| Maximum bay carrying capacity* | Up to 1500kg based on Uniformly Distributed Load |
| Maximum movable block load | Options for 6,000kg and 10,000kg based on uniformly distributed loads |
| Anti-tilt system | Track and runner combination |
| Standard colour | Stone White (Beams and shelves), Anthracite (Uprights and Bracing), Anodized Aluminium (Track and carriage) |



Modern and unique stylised hand-wheel with integrated spinner handle, providing safer and easier operation.



The system includes patented pivoting ramps, unique to the Mekdrive 3 Longspan Compactus®, which can accommodate varying floor contours.



Mech Assist Compactus[®]

Your need:

A large, heavy duty, high density mobile storage system for a wide variety of materials of different size, weight and shape. Minimal footprint and minimal construction costs is a plus.

Our solution:

The Dexion Mech Assist Compactus is the safest mechanically assisted Compactus available in Australia today. This storage system cleverly optimises floor space and puts all the storage efficiency you could ever need at your fingertips. Operation is smooth and effortless due to the ability to select a drive ratio which suits the load of the Compactus and its contents. Dexion Mech Assist Compactus provide market leading safety features, and can be easily upgraded to powered operation at any time in the future.

Vital statistics:

| | |
|-------------------------------|--|
| Drive type | Mechanically assisted (line shaft or synchronised) |
| Rail system | Recessed in-floor or above-floor |
| Shelving and accessory system | Ultima CI-80 or Longspan2 |
| Maximum system width | 13700mm – longer on request |
| Shelving width | 750, 900, 1050, 1200mm |
| Shelving depth | 250, 300, 400, 450, 500, 600mm |
| Shelving height | 1875, 2175, 2400mm |
| Overall system height | 2020, 2320, 2545mm |
| Maximum bay carrying capacity | Up to 1500kg per linear metre* |
| Anti-tilt system | In-track anti-tip rail with dual flange guidance |
| Security | Unit lock and/or safety lock |
| Standard colour | Stone White (shelving) White (carriages) Laminate (end panels) |

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Optional safety sweep works as a safety lock, activated by light foot pressure, to allow users working within the open aisle to lock the carriage in position.



The standard safety lock prevents unwanted movement of bays. It has a bright visual indicator clearly showing the lock status. Optional automatic locks are available which help prevent the system from being closed when an aisle is in the open position.

office products

Eclipse Powered Compactus[®]



Your need:

A heavy duty powered high density mobile storage system capable of carrying large loads over large footprints. Ideal for when you need options for guidance, control and safety, environmental monitoring, security, lighting and more.

Our solution:

The Dexion Eclipse Powered Compactus makes high-density mobile storage more efficient than ever before. The drivers behind the Dexion Eclipse are safety, ease of use, productivity and reliability. The system you buy today can easily evolve into the system you'll need tomorrow. This is the only system available that provides a battery override back up to allow you to access the Compactus when there is a power outage. The rechargeable battery back up is guaranteed for up to 80 carriage movements. The new Bluetooth TUSC™ Control App gives you even faster access and retrieval of contents.

Vital statistics:

| | |
|-------------------------------|--|
| Drive type | Powered, motor driven (line shaft or synchronised) |
| Rail system | Recessed in-floor or above-floor |
| Shelving and accessory system | Ultima CI-80 |
| Maximum system width | 24.6m (Longer on request) |
| Shelving width | 750, 900, 1050, 1200mm |
| Shelving depth | 250, 300, 400, 450, 500, 600mm |
| Shelving height | 1875, 2175, 2400mm |
| Overall system height | 1120, 2020, 2320, 2545mm |
| Maximum bay carrying capacity | Up to 1500kg per lineal metre* |
| Maximum movable block load | 20 tonne |
| Anti-tilt system | In-track anti-tip rail with dual flange guidance |
| Security | Various system and individual user options |
| Standard colour | Stone White (shelving) White (carriages) Laminate (end panels) |



New option LCD touchscreen controller with inbuilt user tutorials and security functionality.



Light-immune photo sweep uses an infrared beam to detect people or objects within a closing aisle.



The TUSC™ Control app allows you to open and close aisles, browse and search for stored items, and view your system's safety status.

*Uniformly Distributed Load. Shelf and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

MaxiDrive Compactus[®]

Your need:

An aesthetically appealing mobile storage solution for meeting high capacity demands in medium to large footprints.

Our solution:

The MaxiDrive Compactus is capable of carriage lengths of up to a staggering 14,440mm (nominal) supported by a choice of two drive ratios. MaxiDrive delivers superior storage density in a mechanically operated system for your available floor area, catering for any item in the office, back of house retail, library, warehouse or archive.

Vital statistics:

| | |
|--------------------------------|---|
| Drive type | Mechanically assisted (Positive Drive) |
| Shelving and accessory system | Ultima CI-80 |
| Maximum system width | 14,440mm |
| Shelving width | 900, 1050, 1200mm |
| Shelving depth | 300, 400, 450, 500, 600mm |
| Shelving height | 1875, 2175, 2400mm |
| Maximum bay carrying capacity* | Up to 1000kg per lineal metre |
| Maximum movable block load* | 20 tonne |
| Security | Unit, Hub and Aisle Locking |
| Standard colour | Stone White (shelving), White Satin (carriages & finishing panels) |
| Anti-Tilt System | 'Intrack anti-tilt' |

*Uniformly Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Unique handwheel disc design delivers a 'Hub Lock' on each handwheel for superior user safety as well as an ergonomic hand grip on the outer edge and spinner handle for user-friendly operation.

Two gear reduction ratios available to tailor operation to the weight load of your contents.

office products

Easyfit[®] Wire Compactus[®]



Your need:

To minimise the surface area which can harbour bacteria or dust and to allow a constant flow of air around the stored items.

Our solution:

The Dexion EasyFit[®] Wire Compactus[®] provides a clear, continuous area for optimal sterilisation and can dramatically improve the storage capacity of your floor space. It can easily be re-configured to suit storage of any kind. It utilises an overhead rail to guide the mobile shelving bays within the unit, which are fitted with castors to ensure the floor below can easily be cleaned.

Vital statistics:

| | |
|----------------------|--|
| Drive type | Overhead Rail and Castors |
| Heights | Static Bay: 2260mm Mobile Bay: 2040mm |
| Widths | 757, 910, 1060, 1215, 1372, 1518mm |
| Maximum System Width | 1518mm |
| Depths | 355, 460, 533, 610mm |
| Adjustment pitch | 25.4mm |
| Standard Finish | Chrome, Stainless steel 304 |
| Accessories | Shelf Ledges Shelf Dividers |
| Maximum System Width | 1518mm |

Strata 2 Sliding Door Cabinet.

Your need:

A cabinet that's aesthetically appealing and provides acoustic dampening for noisy areas.

Our solution:

Designed to maximise space. Sliding doors glide open, lock shut and don't impede walkways they face. The stylish, perforated panels absorb sound and look smart. Durably powder coated in white satin.

Vital statistics:

| | |
|-------------------------|----------------------------|
| Height | 970, 1000, 1200mm |
| Width | 1200mm (1 x 1150 internal) |
| | 1600mm (2 x 750 internal) |
| | 1800mm (2 x 850 internal) |
| | 2000mm (2 x 950 internal) |
| Depth (including door) | 480mm |
| Shelf pitch | 25mm increments |
| Shelf carrying capacity | Up to 130kg per shelf* |
| Standard colours | White Satin (Externals) |
| | Stone White (Internals) |

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



The door's bevelled edge adds to the sleek streamlined design. Doors perfectly align when either side is open.



Perforated doors with acoustic sound absorption panels create a modern aesthetic and enhanced sound absorption.



office products


Strata 2 Tambour Door Cabinet.



As standard ABS door slats, including translucent finish.



Secure Pincer Locking System operates two lock latches with separate anchor points in the door, for added security.



Full-length magnetic strips for snug fit and appearance when doors are closed.

Your need:

Attractive, multi-purpose cabinets for personal or general storage. Must offer flexibility combined with clever use of space, and without obstructing adjacent space.

Our solution:

Makes the most of available space. Tambour doors neatly recede and 'disappear' to avoid impeding walkways they face. Magnetic strips ensure snug fit and finish when doors are closed. Choice of ABS door slat colours including translucent with GECA certification. Cabinet sizes to match common workstation and screen dimensions. Castors can be added if mobility is needed. Dexion's unique dual cam lock provides added security.

Vital statistics:

| | |
|-------------------------|--|
| Height | 670, 970, 1000, 1200, 1275, 1650, 1980mm |
| Width | 900mm (750 internal) 1050mm (900 internal) 1200mm (1050 internal) |
| Depth | 460mm |
| Shelf pitch | 25mm increments |
| Shelf carrying capacity | Up to 130kg per shelf* |
| Locking mechanism | Secure pincer locking system |
| Standard colours | White Satin (Externals) Stone White (Internals) Wide range of other colours available on request** |
| Slat material | ABS |
| Slat colours | White Satin, Translucent** |

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

**Whilst we try to provide a close match between substrates (plastic and powder coat) colours may slightly vary.



Strata 2 Swing Door Cabinet.

Your need:

You simply need the security and peace of mind of a cabinet that will keep your property and documents safe under lock and key.

Our solution:

A sturdy and stylish performer, this all-steel cabinet with enclosed frame, reinforced doors, full height ergonomic handle, concealed hinges and two-point locking system delivers peace of mind for the secure storage of important documents.

Vital statistics:

| | |
|-------------------------|--|
| Height | 670, 970, 1000, 1200, 1275, 1650, 1980mm |
| Width | 900mm (850 internal) |
| Depth | 460mm |
| Shelf pitch | 25mm increments |
| Shelf carrying capacity | Up to 130kg UDL per shelf* |
| Standard colours | White Satin |

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Internally concealed hinges for a clean external finish.



Lockable doors provide extra security for sensitive documents.

office products





Perforated planter, provides acoustic dampening.



Plain planter, designed to achieve maximum strength and rigidity.



The Strata 2 planters have been designed to work together with the entire suite of Strata 2 cabinets. The modular design accommodates all plant types, and ensures easy maintenance and care.

Strata 2 Planter.

Your need:

A contemporary, green way to enjoy nature in your office, without using precious floor space.

Our solution:

Attractive but practical planter boxes that sit neatly above storage cabinets, so you don't 'waste' space. Add life, colour and a sense of balance to work environments, and improve the air quality and ambience. Screen workstations in a fresh way. Optional moulded full depth safety liners for support and moisture protection. Dexion's unique top tray incorporates folding tabs, to avoid loss of fill material into the plants.

Vital statistics:

| | |
|-----------|--|
| Height | 230mm |
| Width | 900, 1050, 1200, 1600, 1800, 2000mm |
| Depth | 460mm |
| Pot sizes | Planters are designed to accept 200mm (8") pots as standard, with a maximum aperture of 230mm (9") |

Number of pots each planter size can accommodate

- 900mm wide planter – 3 x 200mm pots
- 1050mm wide planter – 3 x 200mm pots
- 1200mm wide planter – 4 x 200mm pots
- 1600mm wide planter – 5 x 200mm pots
- 1800mm wide planter – 6 x 200mm pots
- 2000mm wide planter – 6 x 200mm pots

| | |
|------------------|-------------|
| Standard colours | White Satin |
|------------------|-------------|

Note: Planters should not be placed on cabinets taller than 1200mm high.



Strata 2 Bookcase.

Your need:

Be able to access stored items quickly and / or frequently, or have material on display that doesn't need to be secure.

Our solution:

This powder coated bookcase provides ready accessibility, showcasing all contents, with the flexibility of an option to convert the unit to a secure, enclosed cabinet with a swing door or tambour door.

Vital statistics:

| | |
|-------------------------|--|
| Height | 670, 970, 1000, 1200, 1275, 1650, 1980mm |
| Width | 900mm (850 internal) |
| | 1050mm (1000 internal) |
| | 1200mm (1150 internal) |
| Depth | 460mm |
| Shelf pitch | 25mm increments |
| Shelf carrying capacity | Up to 130kg per shelf* |
| Standard colours | White Satin |

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.



Binning dividers.



Wrap around wire rack.



Slotted shelf dividers.



office products



Precision[®] Library Shelving 2.

Your need:

A high-quality shelving solution that has virtually endless possibilities for storing and displaying reading, resource and reference material.

Our solution:

Precision Library Shelving 2 is ideal for academic, corporate, public and legal libraries as well as general office applications. It is adaptable to both stationary and mobile storage applications. Available with a wide range of configurations and accessory options.

Vital statistics:

| | |
|---------------------|--|
| Shelving height | 1075, 1230, 1535, 1840, 1990, 2145, 2295mm |
| Shelving width | 600, 900mm |
| Shelf depth | 203, 254, 305, 381mm |
| Canopy depth | 307mm (single), 358mm (single) 615mm (double), 717mm (double) |
| Wall channel length | 2438mm |
| Standard colour | White satin |


Note: Shelf capacities may vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration .

STORAGE *Tip*

A library collection changes constantly, be sure to future-proof with a flexible system.



Double sided mobile.




Bolted to wall (fixed) single sided.



Freestanding double sided.



Wall mounted.



office products

Books never had it so good.

- | | | | | |
|---------------------------------------|--|-------------------------------------|------------------------------------|--|
| 01 Canopy shelves. | 07 Zig zag shelf display. | 13 Pull out reference shelf. | 19 Bookshelf indicator. | 25 Magazine waterfall shelf 6 tier. |
| 02 Underslung endplates. | 08 Selecta shelf. | 14 Hinged shelf. | 20 Bookend. | 26 End panels – plain. |
| 03 CD/DVD shelf. | 09 Magazine shelf. | 15 Browser bin. | 21 Slotted shelf endplates. | 27 End panels – display. |
| 04 CD/DVD display shelf. | 10 Magazine display shelf 2 tier. | 16 Uptilt endplates. | 22 Slotted shelf back. | 28 End panel display shelf. |
| 05 CD/DVD display rack 2 tier. | 11 Magazine display shelf 3 tier. | 17 Uptilt shelves. | 23 Slotted shelf. | |
| 06 CD/DVD display rack 4 tier. | 12 Hanging bag rail. | 18 Stayput book support. | 24 Slotted shelf dividers. | |



Agile Lockers.

Your need:

Functional and ergonomic lockers that supports day to day business activities.

Our solution:

Dexion Agile Lockers offer a wide range of flexibility to meet the growing demand for locker solutions within today's health facilities and workplace environments. Agile Lockers have been designed with adaptability in mind and can be configured to meet your specific needs.

Vital statistics:

| | |
|--------------------|--|
| Door configuration | 1, 2, 3 or 4 tiers |
| Height | 1050, 1500, 1950mm (includes 150mm kickplate) |
| Width | 400mm |
| Depth | 460mm |
| Carcase Finish | White E-zero 16mm moisture resistant laminate |
| Exterior Finish | Standard or E-zero (16 or 18mm) laminate and nominated from a wide range of standard and custom finishes |

*Uniformly Distributed Load. Shelf capacities vary, contact your Dexion Supply Centre representative for specific maximum loads based on your configuration.

Precision Classic Lockers.



Your need:

To store your personal belongings in a secure place while at work or during a recreational activity.

Our solution:

The Precision Classic Locker features an all-steel construction with a fully powder coated scratch resistant finish. There are five standard door options and two standard widths available. They feature ventilation slots, name card holders and optional sloping tops. Doors are secured via cam locks as standard or optional battery powered locks from Dexion's Dynamic Locking range.

Vital statistics:

| | |
|---------------------|---|
| Height | 1800mm |
| Width | 300, 375mm |
| Depth | 457mm |
| Door configurations | 1-4 Doors, 2 Stepped Door |
| Standard features | Flush handle with 3 point locking to 1 Door locker Coat rail to 1, 2 and Stepped Door lockers |
| Security | Cam key lock as standard with master key available Optional battery powered Dynamic Locking - Silver or Gold level |
| Standard Colour | White Satin |
| Other Colours | POA |

Precision Classic Vertical Filing Cabinet.



Your need:

A secure, sturdy and quality document storage cabinet designed for heavier loads and high use. An independently tested and AFRDI certified cabinet which carries an extended warranty and optimises storage capacity.

Our solution:

Manufactured with an all-steel construction and fully powder coated scratch resistant finish the Precision Classic Vertical Filing Cabinet is designed to highest industry standards. Full height drawer sides provide protection and support for suspension files as well as allow for alternative storage uses. Each unit comes with a heavy-duty double extension ball bearing runner system, an anti-tilt safety system and a secure locking system with master key availability.

Vital statistics:

| | |
|-----------------|--|
| Height | 720mm (2 Drawer), 1020mm (3 Drawer), 1320mm (4 Drawer) |
| Width | 470mm |
| Depth | 620mm |
| Drawer load | 30kg |
| Standard Colour | White Satin |
| Other Colours | POA |

office products

FirstLine Lateral Filing Cabinet.



Your need:

To store high volumes of suspension files in a cabinet of sturdy construction, equipped with an advanced anti-tilt mechanism and providing easy access via a full width handle.

Our solution:

Clever and seamless interior storage layout. Sturdily built to comfortably store a high volume of documents. Two, three or four drawers. The secure locking system provides peace-of-mind that items stored will be kept safe. When creating a contemporary and functional working environment, the FirstLine Lateral Filing Cabinet range is the perfect choice.

Vital statistics:

| | |
|-----------------|---|
| Height | 710mm (2 Drawer), 1010mm (3 Drawer) 1320mm (4 Drawer) |
| Width | 910mm |
| Depth | 460mm |
| Standard Colour | White Satin |
| Other Colours | POA |

FirstLine Vertical Filing Cabinet.



Your need:

A secure and economical solution for suspension file storage.

Our solution:

Our FirstLine Vertical Filing Cabinets provide you with the ultimate in strength and security. Each unit comes with a heavy-duty double extension ball bearing runner system, an anti-tilt safety system and a secure locking system with master key availability.

Vital statistics:

| | |
|-----------------|--|
| Height | 720mm (2 Drawer), 1020mm (3 Drawer), 1320mm (4 Drawer) |
| Width | 470mm |
| Depth | 620mm |
| Drawer Load | 25kg |
| Standard Colour | White Satin |
| Other Colours | POA |

FirstLine Swing Door Cabinet.



Your need:

An all purpose heavy duty cabinet designed to deliver enhanced security and handle the demands of high use.

Our solution:

Our FirstLine Swing Door Cabinets are built to the highest industry standards to meet the needs of the most demanding commercial use. Boasting a full height recessed ergonomic handle for ease of access and fitted with a 3-point locking mechanism for added security. All shelves are reinforced and adjustable. Shelves come included with the unit.

Vital statistics:

Height 970mm (2 Shelves), 1000mm (2 Shelves), 1200mm (3 Shelves), 1980mm (5 Shelves)

Width 900mm

Depth 460mm

Shelf Load 50kg UDL*

Standard Colour White Satin

Other Colours POA

*Uniformly Distributed Load.

FirstLine Stationery Cabinet.



Your need:

An economical cabinet that can safely store your stationery and personal belongings.

Our solution:

Specially designed to meet your stationery storage needs, FirstLine Stationery Cabinets are built to the highest industry standards. All steel construction with fully powder coated finish. Secure 3-point locking system provides peace-of-mind that items stored will be kept safe. All shelves are adjustable and come included with the unit.

Vital statistics:

Height 914mm (2 Shelves), 1118mm (2 Shelves), 1830mm (4 Shelves), 1980mm (4 Shelves)

Width 910mm

Depth 460mm

Shelf Load 40kg UDL*

Standard Colour White Satin

Other Colours POA

*Uniformly Distributed Load.

FirstLine Bookcase.



Your need:

A versatile cabinet that allows for quick access to contents where security is not required.

Our solution:


The FirstLine Bookcase is an economical shelving solution which comes with 2-5 adjustable shelves so there's plenty of room to store and showcase your books, binders and more.

Vital statistics:

| | |
|-----------------|---|
| Height | 970mm (2 Shelves), 1000mm (2 Shelves), 1200mm (3 Shelves), 1980mm (5 Shelves) |
| Width | 900, 1200mm |
| Depth | 460mm |
| Shelf Load | 900mm Wide Option: 40kg UDL* 1200mm Wide Option: 50kg UDL* |
| Standard Colour | White Satin |
| Other Colours | POA |

*Uniformly Distributed Load.

FirstLine Planters.



Your need:

To add some greenery and style to your workspace, without impeding on your limited floor area.

Our solution:

FirstLine Planters are designed to be used on top of a wide variety of cabinets, they consist of 2 nested components: a powder coated steel carcass and a powder coated steel top tray with Dexion's unique folding tabs to avoid the common issues of tray dressing falling into the carcass. Tray can be inverted for a flush finish to top of box when dress fill is not used. Available in both perforated and plain options. No inner liner included.

Vital statistics:

| | |
|-----------------|-------------------|
| Height | 230mm |
| Width | 900, 1200mm |
| Depth | 460mm |
| Type | Perforated, Plain |
| Standard Colour | White Satin |
| Other Colours | POA |

FirstLine Caddy.



Your need:

A lockable multi-function office storage unit that complements your workspace and fits under most standard workstations.

Our solution:

The FirstLine Caddy is an all-in-one solution whether you require drawer space for stationery items, suspension filing space, shelves for personal items or lateral files. It combines the benefit of a Pedestal and a Tambour in one unit. The secure locking system with master key availability provides peace-of-mind that items stored will be kept safe.

Vital statistics:

| | |
|-----------------|---------------------|
| Height | 640mm |
| Width | 1050mm |
| Depth | 460mm |
| Configuration | Left or Right Sided |
| Standard Colour | White Satin |
| Other Colours | POA |

*Uniformly Distributed Load.

FirstLine Mobile Pedestal.



Your need:

A mobile storage unit that can be easily moved around, with a variety of drawer and vertical file options.

Our solution:

The FirstLine Mobile Pedestal mobile pedestal has the popular 'flush front' design - with the side pull, doing away with the need to have more traditional, protruding handles. The full extension runners on the unit's drawers, allow you to access all of the usable filing space with ease. The secure locking system with master key availability provides peace-of-mind that items stored will be kept safe.

Vital statistics:

| | |
|-----------------|------------------------------------|
| Height | 505mm (2 Drawer), 610mm (3 Drawer) |
| Width | 310mm (Slim, 3 drawer only), 460mm |
| Depth | 472mm |
| Standard Colour | White Satin |
| Other Colours | POA |

Dynamic Locking Bronze.



Key Lock



Latch Lock



Mech Lock



HD Freetrack Aisle Lock

Secure storage you can rely on. Keyed lock systems designed to suit any business large or small.

Vital statistics:

| | |
|---------------------|--|
| Lock Type | Lock Barrel / Latch |
| Lock Operation | Key / Padlock |
| Lock Barrel Options | 'Keyed to differ' or 'Keyed alike' |
| Accessories | Master Keys / Barrel Removal key / Replacement barrels (with 2 keys) |

Dynamic Locking Silver.



Aspire 5G



Sola 5G



Axis 5G

Flexible locks to future proof your security. Power up your security with Keypad, RFID or Mobile APP operated locks. These locks are designed to provide users with friendly and intuitive interface options, including use of existing Smartcards and supported by either Basic or Advanced Electronic Key Management.

Dynamic Locking Silver. (cont.)



Cue 5G

Versa 5G

Range 5G

Vital statistics:

| | |
|-----------------------|--|
| Lock Type | Battery Powered |
| Lock Operation | Keypad / RFID / Mobile APP |
| Lock Options | 'Code Managed' or 'Key Managed' Models |
| Functionality | 'Shared' or 'Assigned' Use |
| Lock Engagement | Deadbolt / Deadlatch / Rotating Cam |
| Features | Audible and visual indicators |
| | Auto unlock capability |
| | Audit trail downloads |
| | Disability extended handles |
| | Surface or recess mount options |
| | Vertical or horizontal body orientation |
| | Various colours and finish options |
| User RFID Credentials | Card / FOB / Bracelet / Adhesive Label |
| Accessories | |
| Electronic Key | |
| Accessories | Data / Programming / Manager Bypass / User / Reset |

Dynamic Locking Gold.



Aspire 6G

Versa 6G

Orbit 6G

Digilink

Networked locks with enhanced capabilities. An advanced lock system incorporating Bluetooth connectivity which is ideal for remote working and multi-site or medium to large scale deployment. The networked solution lets you remotely manage your facility and users from anywhere whilst maintaining ultimate visibility, responsiveness and reporting. A networked lock solution without the need for expensive infrastructure.

Vital statistics:

| | |
|-----------------------|--|
| Lock Type | Battery Powered |
| Lock Operation | Keypad / RFID / Mobile ID / Remote Management |
| Lock Options | Centralised Management - DIGILINK Network System |
| Functionality | 'Shared' or 'Assigned' Use |
| Lock Engagement | Deadbolt / Deadlatch / Rotating Cam |
| Features | Remote user set up and access management |
| | Remote lock functionality programming |
| | Remote set up for shared or assigned use |
| | Remote manager override / unlock |
| | Audible and visual indicators |
| | Advanced auto unlock |
| | Audit trail and usage data analytics |
| | Disability extended handles |
| | Surface or recess mount options |
| | Vertical or horizontal body orientation |
| | Various colours and finish options |
| User RFID Credentials | Card / FOB / Bracelet / Adhesive Label |

office products



**For your nearest
Dexion Supply Centre, please call:**

**Australia 1300 339 466 or visit
www.dexion.com.au**

**Asia +603 5520 6000
www.dexion.biz**

**New Zealand 0800 339 466
www.dexion.co.nz**

Publisher: Dexion (Australia) Pty Limited, ABN 83 000 083 956

Copyright: All material in this publication is copyright to the publisher. No material may be reproduced without the express permission of the publisher.

Notice: Whilst the utmost care is taken to ensure the accuracy of the information contained herein, it is provided with the understanding that Dexion shall under no circumstances be liable for any injuries, expenses or other losses which may in some way be attributable to the use or adoption of products, services, information, data and/or design details listed. All dimensions indicated are nominal only. Dexion reserves the right to alter or amend without prior notice details specified within.

Products: Products available while stocks last. Products may vary at individual outlets. Unforeseen supply problems or unexpected demand may occasionally result in stock being unavailable.

Not all products advertised are displayed in all outlets. Accessories shown in the photographs are not included. Delivery, installation and handling fees will apply.

Dexion®, Circle with tick logo device®, Compactus®, Keylock®, Marlbro®, Ultima®, Speedlock®, EasyFit®, Precision®, are registered trademarks of Dexion (Australia) Pty Limited. Freetrack® and Mekdrive® are registered trademarks of Glidestore Freetrack Pty Ltd.